Worker

Confined Space Entry Competency Assessment

Competency Assessment Criteria (Going from 'Work Ready' to 'Work Capable')

MINIMUM PREREQUISITE UNIT STANDARDS

18426 Demonstrate knowledge of hazards associated with confined spaces (direct supervision required)		17599 Plan a Confined Space Entry	
25510 Operate an atmospheric testing device to determine a suitable atmosphere exists to work safely (or 3058).		3058 Perform gas test for an energy and chemical plant (or 25510)	

FOR A WORK PARTY MEMBER

I implemented control measures to eliminate and/or minimise the risk of hazards while working in a confined space.

I followed the entry and exit procedures identified during the JSA/risk assessment process, for working in a confined space.

I maintained continuous visual monitoring of the conditions and environment within a confined space.

To support visual monitoring, I maintained continuous audio monitoring of the conditions and environment within a confined space.

I contributed to maintaining continuous communication channels between work party members in a confined space.

I practiced emergency evacuation procedures specified during the JSA/risk assessment process, prior to starting work in a confined space.

I inspected, and when necessary, maintained hazard control measures that had been established to support safe working practice within a confined space

Limplemented control measures to eliminate and/or minimise the risk of hazards while working in a confined space.

FOR A SAFETY OBSERVER

I stayed at my designated location and tested and maintained a continual communication link with the work party inside the confined space.

I ensured the appropriate emergency response equipment was available and accessible.

I kept records of personnel entering the confined space and the results of environment tests.

I wore and maintained the operation of a personal gas detector while working in a confined space.

I maintained focus on my responsibilities as a safety observer and did not engage in any other activities.

I participated in a simulation and practiced preventing unauthorised rescue entry into a confined space.

I practiced raising the alarm for emergency response, in a simulated emergency in a confined space.

FOR A WORK PARTY MEMBER RESPONSIBLE FOR ATMOSPHERIC TESTING

I carried out pre-entry atmospheric testing in a confined space using the gas detector.

I carried out periodic atmospheric testing in a confined space to continually verify the safety of the environment for work to continue.

I kept records of the results of atmospheric tests.

I maintained focus on my responsibilities as a safety observer and did not engage in any other activities.

I participated in a simulation and practiced preventing unauthorised rescue entry into a confined space.

I practiced raising the alarm for emergency response, in a simulated emergency in a confined space.

STATEMENT OF ASSESSMENT (Assessor must be 'Work Capable' for this specific Competency and takes responsibility for determining if the Worker is 'Work Capable')

Worker Name: Worker Signature: Date:

 $A signature \ by \ the \ worker indicates \ they \ have \ undertaken \ the \ corresponding \ actions \ as \ indicated \ by \ ticks \ in \ the \ 'Worker' \ column$

Assessor Name:	Assessor Signature:	Date:	